

Package: ravecorrelation (via r-universe)

August 23, 2024

Generated by roxygen2 do not edit by hand

Type Package

Title What the Package Does (Title Case)

Version 0.1.0

Description More about what it does (maybe more than one line) Use four spaces when indenting paragraphs within the Description.

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.2.0

Imports stats, graphics, shiny (>= 1.2.0), rlang (>= 0.3.0), stringr (>= 1.3.1), raveio (>= 0.0.5), dipsaus (>= 0.0.2), magrittr, rutabaga, rave, ravebuiltins

Suggests rstudioapi (>= 0.9.0), knitr, rmarkdown

Remotes github::beauchamplab/rave,
github::beauchamplab/ravebuiltins@migrate2, dipterix/rutabaga

VignetteBuilder knitr

Repository <https://rave-ieeg.r-universe.dev>

RemoteUrl <https://github.com/LeoraCramer/ravecorrelation>

RemoteRef HEAD

RemoteSha 82055f7c81aedb38b64001bc47d8f0effac3281a

Contents

dev_ravecorrelation	2
Index	3

dev_ravecorrelation *Function to load all development functions within an environment*

Description

Function to load all development functions within an environment

Usage

```
dev_ravecorrelation(expose_functions = FALSE, reload = TRUE)
```

Arguments

expose_functions	logical indicating whether to expose all development functions to the global environment
reload	logical, do you want to fast-reload the package before load the functions?

Index

dev_ravecorrelation, [2](#)